



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

245 0062 1550



LANE MEDICAL LIBRARY STANFORD

THE HOSPITAL FORMULARY

V125
N54
1906

LANE


MEDICAL



LIBRARY

STANFORD HOSPITAL

AMERICAN BRASS MILITARY CO. (INC.)





THE HOSPITAL FORMULARY

NEW YORK

OPHTHALMIC HOSPITAL

201 EAST 23rd STREET



FIRST EDITION

- 1906 -

AP

LIBRARY OF THE
OPHTHALMIC HOSPITAL

THIS booklet is submitted to the Surgeons and Medical friends of this Hospital, with the hope that it will, in some measure, fill a long felt, and often expressed, want. If it will simplify and unify our work, it will fulfil its mission.

EDWARD

N54
1966

N. Y. O. H. FORMULARY.

1

ACIDUM TANNICUM ET GLYCERINUM.

Tannic Acid and Glycerin.

Tannic Acid,	gr. ix.
Glycerin,	℥j.

NOTE :—A 10% strength is also in stock.

2

ADRENALIN CHLORIDE.

NOTE :—In making dilutions of this drug, use normal salt solution.

3

ÆTHER ET COSMOLINUM.

Ether and Cosmoline.

Ether,	℥xxiv.
Liquid Cosmoline,	q. s. ad ℥j.

4

ALUMNOL.

Alumnol.

Alumnol,	gr. xlv.
Distilled Water,	℥j.

5

ALUMNOL ET GLYCERINUM.

Alumnol and Glycerin.

Alumnol,	gr. xxiiss.
Glycerin,	℥j.

65719

6

ALYPIN.

Alypin.

Alypin,	gr. ivss.
Distilled Water,	℥j.

7

AQUA CAMPHORÆ.

Camphor Water.

Camphor,	℥j gr. lvij.
Alcohol,	℥ij.
Purified Talc,	℥iiij gr. xxxix.
Distilled Water,	O. ij.

NOTE:—Method of compounding as given in the U. S. P. 1900.

8

AQUA CHLORI.

Chlorine Water.

Chlorinated Lime,	℥ij.
Sodium Chloride,	℥iv.
Water,	O. ij.

Mix these and filter. Add one dram of pure sulphuric acid and filter.

9

AQUA IODI.

Iodine Water.

Iodine,	gr. ij.
Potassium Iodide,	gr. vij.
Glycerin,	℥iiij.
Distilled Water,	℥v.

10

ARECOLINA.

Arecoline.

Arecoline Hydrobromide,	gr. ix.
Distilled Water,	℥j.

11

ARGYROL.

Argyrol.

Argyrol,	gr. ivss.
Distilled Water,	℥j.

NOTE:—The 2, 5, 15, 20, 25, and 30% strengths are also in stock.

12

ARISTOL ET BENZOINOL.

Aristol and Benzoinol.

Aristol,	gr. xlv.
Benzoinol,	℥j.

13

ARISTOL GAUZE.

Absorbent Gauze, (Dry),	yd j.
Aristol,	℥ij gr. xlv.
Glycerin,	℥iiss.
Alcohol,	℥iiss.

14

ATROPINA.

Atropine.

Atropine Sulphate,	gr ivss.
Distilled Water,	℥j.

NOTE:—One-half % is also in stock.

15

BETA-EUCAINA.

Beta-Eucaine.

Beta-Eucaine,	gr. ix.
Distilled Water,	℥i.

NOTE:—A 4% solution is also in stock.

16

CALENDULA PHENOLATA.

Phenolized Calendula.

Phenol,	℥iv.
Calendula Cerate,	℥ij.
Cosmoline,	℥vj.

17

CALENDULOL.

Calendulol.

Fluidextract Calendula,	℥xv.
Glycolene,	q. s. ad ℥j.

18

COCAINA.

Cocaine.

Cocaine Hydrochlorate,	gr. xvij.
Distilled Water,	℥j.

NOTE :—5% and 10% strengths are also in stock.

19

COLLYRIUM, S. C.

S. C. Eye Wash.

Sodium Borate,	gr. x.
Camphor Water,	℥j.

20

COLLYRIUM, S. S.

S. S. Eye Wash.

Sodium Borate,	gr. x.
Sodium Chloride,	gr. iij.
Distilled Water,	℥j.


21

COLLYRIUM, Z. S.

Z. S. Eye Wash.

Zinc Sulphate,	gr. ij.
Sodium Chloride,	gr. iij.
Distilled Water,	℥j.

A solution of one-half strength is also in stock.



22

COLLYRIUM, Z. S. ET C.

Z. S. and C. Eye Wash.

Zinc Sulphate,	gr. ij.
Sodium Chloride,	gr. v.
Camphor Water,	
Distilled Water,	āā ʒss.

23

CREOLINUM ET GLYCERINUM.

Creolin and Glycerin.

Creolin,	℥iv.
Glycerin,	ʒj.

24

DIONINUM.

Dionin.

Dionin,	gr. xxiiss.
Distilled Water,	ʒj

NOTE:—A 10% is also in stock.

25

DUBOISINA.

Duboisine.

Duboisine Sulphate,	gr. ivss.
Distilled Water,	ʒj.

26

ELECTROZONE.

Electrozone.

Electrozone,	ʒiss ℥vj.
Distilled Water,	q. s. ad ʒj.

27

ENZYMOL.

Enzymol.

Enzymol,	
Distilled Water,	āā ʒss.

28

ESERINA.

Eserine.

Eserine Salicylate,	gr. ivss.
Distilled Water,	℥j.

29

EUCALYPTOL ET BENZOINOL.

Eucalyptol and Benzoinol.

Eucalyptol,	℥xxiv.
Benzoinol,	q. s. ad ℥j.

30

EUPHTHALMINA.

Euphthalmine.

Euphthalmine Hydrochlorate,	gr. xlv.
Distilled Water,	℥j.

31

FUCH'S COLLYRIUM.

Fuch's Eye Wash.

Camphor,	gr. vj.
Ammonium Chloride,	gr. vij.
Zinc Sulphate,	gr. xix.
Saffron,	gr. iiiss.
Alcohol,	℥ij.
Distilled Water,	℥vj℥v℥xx.

NOTE:—Digest for twenty-four hours with frequent agitation. Filter. This preparation is used with a one-third or a one-fourth dilution of rose water.

32

HOLOCAINA.

Holocaine.

Holocaine Hydrochlorate,	gr. ivss.
Distilled Water,	℥j.





33

HOMATROPINA.

Homatropine.

Homatropine Hydrobromate,	gr. iiii.
Distilled Water,	℥j.

34

HYDRARGYRI CHLORIDUM CORROSIVUM.

Corrosive Mercuric Chloride 1:50.

Corrosive Sublimate,	℥iiss gr. ix.
Sodium Chloride,	℥iij gr. xviii.
Distilled Water,	O. v.

NOTE:—Boiling water must be used. The dilutions from the 1:50 basis are made as follows:—

½ oz. of 1:50 + 10 oz. H ₂ O = 1:1000.
½ “ “ 1:50 + 20 oz. H ₂ O = 1:2000.
½ “ “ 1:50 + 30 oz. H ₂ O = 1:3000.
½ “ “ 1:50 + 40 oz. H ₂ O = 1:4000.
½ “ “ 1:50 + 50 oz. H ₂ O = 1:5000.

35

HYDRASTININA BORO GLYCERINUM.

Hydrastinine Boro-Glycerin.

Hydrastinine Hydrochloride,	gr. j.
Glycerin,	℥j.
Saturated Solution Boric Acid,	q. s. ad ℥j.

36

HYDRASTINUM.

Hydrastin Muriate Solution.

Hydrastin Muriate,	1x Tablets. No. iv.
Saturated Solution Boric Acid,	℥j.

37

HYOSCYAMINA.

Hyoscyamine.

Hyoscyamine Hydrobromate,	gr. ivss.
Distilled Water,	℥j.

38

ICHTHARGAN.

Ichthargan.

Ichthargan,	gr. xlv.
Glycerin,	
Distilled Water,	āā ʒss.

39

ICHTHYOL.

Ichthyol.

Ichthyol,	℥xiv.
Distilled Water,	q. s. ad ʒj.

40

ICHTHYOL ET ALBOLENE.

Ichthyol and Albolene.

Ichthyol,	ʒj.
Albolene, Liquid,	q. s. ad ʒj.

41

IODOFORMUM ET ALCOHOL.

Iodoform and Alcohol.

Iodoform,	gr. x.
Alcohol, 50%,	ʒj.

42

IODOFORM GAUZE.

Absorbent Gauze, (Dry),	yd. ij. in. xxx.
Iodoform,	ʒj. gr. xlii.
Glycerin,	ʒiv.
Alcohol,	ʒviij.

43

LINIMENTUM SAPONIS MOLLIS.

*Liniment of Soft Soap.**(Tincture of Green Soap)*

Soft Soap,	ʒxc.
Oil of Lavender Flowers,	ʒiiss.
Alcohol,	O. ij ʒx.

44

LIQUOR THYMOLICUS COMPOSITUS.

Compound Thymol Solution.

Boric Acid,	℥ij℥j. gr. iv.
Thymol,	
Menthol,	āā ℥ij. gr. viij.
Oil Eucalyptus,	
Oil Gaultheria,	
Oil Horsemint,	āā ℥xxxij.
Alcohol,	O. ij.
Distilled Water,	O. vj.
Caramel,	q. s.

NOTE:—Dissolve the boric acid in boiling water and other ingredients in alcohol. Mix. Add one and one-half ounces of Precipitated Calcium Phosphate. Let stand two days. Shake frequently. Filter well.

45

LIQUOR ELECTROPOEICUS.

*(Battery Fluid.)**A. (For the Carbon and Zinc Battery.)*

Sodium Bichromate, in coarse powder, oz. iv. gr. lxxiv. (av).	
Sulphuric Acid, commercial,	℥iv.
Water, Cold,	O. ij.

B. (For use with the Galvano-Cautery.)

Sodium Bichromate, in coarse powder, oz. iv. gr. ccxcv. (av).	
Sulphuric Acid, commercial,	℥ix.
Water, Cold,	O. ij.

46

LIQUOR IODI COMPOSITUS.

*Compound Solution of Iodine.**(Lugol's Solution.)*

Iodine,	gr. v.
Potassium Iodide,	gr. x.
Distilled Water,	℥j.

47

LIQUOR IODI COMPOSITUS.

*Compound Solution of Iodine, (Improved.)**(Lugol's Solution, Improved.)*

Iodine,	gr. v.
Potassium Iodide,	gr. x.
Glycerin,	q. s. ad	℥j.

48

LIQUOR IODO COSMOLINE.

Solution of Iodine and Cosmoline.

Iodine,	gr. j.
Potassium Iodide,	gr. ij.
Cosmoline,	℥j.

49

LIQUOR MAGNESII CITRATIS.

Solution of Magnesium Citrate.

Magnesium Carbonate,	℥ivss.
Citric Acid,	℥x.
Syrup of Citric Acid,	O. j.
Distilled Water,	q. s. ad	O. viij.

NOTE:—Dissolve Citric Acid in twelve ounces of water. When the bottles are filled, drop thirty-nine grains of crystallized Bicarbonate of Potassium into each and immediately close them. For fifteen bottles.

50

LIQUOR SODII BORATIS COMPOSITUS.

*Compound Solution of Sodium Borate.**(Dobell's Solution)*

Phenol,	℥ss℥xv.
Sodium Borate,	℥j.
Sodium Bicarbonate,	℥j.
Glycerin,	℥j.
Water,	q. s. ad	O. j.

51

LIQUOR VERBASI.

Verbascum Solution.

Fluidextract Verbascum,	3ij.
Alcohol,	3j.
Glycerin,	
Distilled Water,	āā 3j.

52

LOCAL ANESTHETIC.

Cocaine Hydrochlorate,	gr. xxiv.
Aniline Oil,	
Alcohol,	āā 3ss.

53

LYTHOL.

Lythol.

Lythol,	3iss. ℥vj.
Distilled Water,	q. s. ad 3j.

54

MENTHOL ET BENZOINOL.

Menthol and Benzoinol.

Menthol,	gr. ix.
Benzoinol,	3j.

55

MISTURA, D. T.

D. T. Mixture.

Potassium Bromide,	gr. xlv.
Chloral Hydrate,	gr. xx.
Cannabis Indica ꝑ,	
Hyoscyamus ꝑ,	
Digitalis ꝑ,	āā ℥. vij.
Distilled Water,	q. s. ad 3j.

56

MISTURA PLANTAGONIS.

Plantago Mixture.

Fluidextract Belladonna,	
Fluidextract Plantago,	āā ℥j.
Glycerin,	
Distilled Water,	āā ℥j.

57

MYDRINA.

Mydrine.

Mydrine,	gr. ivss.
Distilled Water,	℥j.

58

NASAL SPRAY, No. 1.

Cocaine,	gr. viij.
Antipyrin,	gr. xv.
Phenol,	℥ij.
Distilled Water,	℥j.

59

NASAL SPRAY, No. 2.

Cocaine,	gr. viij.
Tincture Belladonna,	℥x.
Distilled Water,	℥j.

60

NASAL SPRAY, No. 3.

Pine Needle Oil,	℥x.
Eucalyptol,	℥ss.
Glymol,	q. s. ad ℥j.

61

NASAL SPRAY, No. 4.

Menthol,	gr. v.
Glomenol,	℥ss.
Glymol,	q. s. ad ℥j.

62

NASAL SPRAY, No. 5.

Pine Needle Oil,	℥iv.
Oil of Tangerine,	℥xx.
Glymol, q. s. ad	℥j.

63

NASAL SPRAY, No. 6.

Menthol,	gr. iij.
Eucalyptol,	℥ij.
Benzoinol,	℥j.

64

NASAL SPRAY, No. 7.

Camphor,	gr. v.
Sodium Chloride,	gr. iv.
Eucalyptol,	℥ss.
Alcohol,	℥ij.
Succus Calendula,	℥j.
Distilled Water, q. s. ad.	O. iv.

NOTE:—Filter the preparation. For nasal wash, dilute one to five. For mouth wash, dilute one to three.

65

NASAL SPRAY, No. 8.

Sodium Chloride,	gr. iv.
Keimol,	℥xx.
Adrenalin Chloride, I: M,	℥ss.
Distilled Water, q. s. ad.	℥j.

For Hay Fever.

66

NORMAL SALT SOLUTION.

Sodium Chloride,	gr. xliij.
Distilled Water,	O. j.

NOTE:—A triple strength is also made.

67

OLEUM ARISTOL.

Aristol Oil.

Aristol,	gr. xlv.
Sesame Oil,	℥j.

68

OLEUM IODO-COSMOLINE.

Iodo-Cosmoline Oil.

Iodine,	gr. ij.
Menthol,	gr. iiij.
Alcohol,	℥xx.
Glycolene,	℥j.

69

OXYCHLORINA.

Oxychlorine.

Oxychlorine,	gr. xlv.
Distilled Water,	℥j.

70

OLEUM PINUS PUMILIO ET BENZOINOL.

Pine Needle Oil and Benzoinol.

Pine Needle Oil,	℥xx.
Benzoinol, q. s. ad.	℥j.

71

PERUVIANUM CASTRUM.

Castra Peru.

Balsam of Peru,	℥ss℥xviiij.
Castor Oil, q. s. ad.	℥j.

72

PHENOL ET BENZOINOL.

Phenol and Benzoinol.

Phenol,	℥x.
Benzoinol,	℥j.

73

PHENOL ET GLYCERINUM.

Phenol and Glycerin.

Phenol,	℥vij.
Glycerin,	℥j.

74

PHENOL ET OLEUM OLIVAE.

Phenol and Olive Oil.

Phenol,	℥xxiv.
Olive Oil,	q. s. ad. ℥j.

75

PILOCARPINA.

Pilocarpine.

Pilocarpine Hydrochloride,	gr. . ivss.
Distilled Water,	℥j.

76

PROTARGOL.

Protargol.

Protargol,	gr. . xlv.
Distilled Water,	℥j.

NOTE :—A 20% strength is also in stock. Protargol dissolves in water. Float it on water and it will dissolve. Do not try to dissolve or triturate it.

77

SATURATED SOLUTION POTASSIUM IODIDE.

Potassium Iodide,	℥iv.
Distilled Water,	℥ij. ℥vij. ℥xxxij.

78

SCOPALAMINA.

Scopalamine.

Scopalamine, Hydrochlorate	gr. ii ¼.
Distilled Water,	℥j.

NOTE ;—1:400 and 1:500 are also in stock.

79

SOLUTION B.

Saturated Solution Boric Acid,
Rose Water,	āā ʒiiiss.
Camphor Water,	q. s. ad. ʒj.

80

SOLUTION B A. W.

Boric Acid,	gr. x.
Alcohol,
Distilled Water,	āā ʒss.

81

SOLUTION FOR EAR, No. 1.

Formalin,	mj.
Hydrogen Peroxide,	ʒv.
Saturated Solution Boric Acid,	ʒiiij.

82

SOLUTION FOR EAR, No. 2.

Boric Acid,	ʒss.
Alcohol, 50%,	ʒj.

Note:—This is an excess solution of Boric Acid.

83

SOLUTION 1492.

Sodium Chloride,	gr. iiij.
Solution Bichloride of Mercury 1:4000	ʒj.

84

SOLUTION 746.

Solution 1492,
Distilled Water,	āā ʒss.

85

SOLUTION 1904.

Sodium Chloride,	gr. iiij.
Solution Sublamine 1:2000,	ʒj.

86

SOLUTION, 1906.

Glycerin,	3ij.
Saturated Solution Sodium Bicarbonate,	3vj.

NOTE:—This solution is used for cerumen impacta.

Use above amount in pint of hot water.

87

SPRAY FOR ACUTE PHARYNGITIS.

Campho-Phenique,	3ij.
Oil Calendula,	q. s. ad 3j.

88

SYRUPUS, U. S. P.

Syrup.

Sugar, in coarse powder,	1b. viiss. av.
Distilled Water,	q. s. O. viij.

NOTE:—Dissolve sugar with aid of heat in fifty-eight ounces of water; raise temperature to boiling point: strain. Product when cold must measure eight pints. Mix thoroughly.

89

SYRUPUS ACIDI CITRICI.

Syrup of Citric Acid.

Citric Acid,	3ij. gr. xxvj.
Distilled Water,	
Tincture of Fresh Lemon Peel,	āā 3iiss.
Syrup,	q. s. ad O. ij.

90

UNGUENTUM ALPHOZONE.

Alphozone Ointment.

Alphozone,	gr. ¼.
Lanoline,	
Albolene,	āā 3ss.

91

UNGUENTUM CALENDULAE

Calendula Ointment.

Fluidextract Calendula,	gr. xij.
Albolene,	℥j.

NOTE:—The fluidextract must be evaporated to a semi-liquid.

92

UNGUENTUM ACIDI CHRYSOPHANICI.

Ointment of Chrysophanic Acid.

Chrysophanic Acid,	gr. ix.
Cosmoline,	℥j.

93

UNGUENTUM CUPRI ACETATIS.

Ointment of Copper Acetate.

Copper Acetate,	gr. ix.
Albolene,	
Lanoline,	āā ℥ss.

94

UNGUENTUM CUPRI CITRATIS.

Ointment of Copper Citrate.

Copper Citrate,	gr. xlvij.
Lanoline,	℥ss.
Albolene,	q. s. ad ℥j.

95

UNGUENTUM CUPRI SULPHATIS.

Ointment of Copper Sulphate.

Copper Sulphate,	gr. viij.
Ichthyol,	gr. viij.
Cosmoline,	q. s. ad ℥j.

96

UNGUENTUM DIONINUM.

Dionin Ointment, 2%.

Dionin,	gr. ix.
Cosmoline,	℥j

97

UNGUENTUM DIONINUM.

Dionin Ointment, 5%.

Dionin,	gr. xxiv.
Albolene,	℥ss.
Lanoline,	q. s. ad	℥j.

98

UNGUENTUM DIONINUM ET SCOPALAMINA.

Ointment Dionin and Scopalamine.

Dionin,	gr. xxiv.
Scopalamine Hydrochlorate,	gr. iiss.
Albolene,	℥ss.
Lanoline,	q. s. ad	℥j

99

UNGUENTUM GRAPHITUM.

*Graphite Ointment.**(Grapho-Cosmoline.)*

Graphite,	gr. ix.
Cosmoline,	℥j.

100

UNGUENTUM HYDRARGYRI OXIDI FLAVI.

Ointment of Yellow Mercuric Oxide.

Yellow Mercuric Oxide,	gr. ix.
Albolene,	
Lanoline,	āā	℥ss.

NOTE :—Dissolve the powder in a few drops of Castor Oil.

Avoid use of metallic spatulas.

101

UNGUENTUM HYDRARGYRI CUM ENDERMOL.

Mercurial Ointment with Endermol.

Mercurial Ointment, (U. S. P.)	
Endermol,	āā ℥ss

102

UNGUENTUM ICHTHARGAN.

Ichthargan Ointment.

Ichthargan,	gr. xij.
Lanoline,	℥ss.
Albolene, q. s. ad	℥j.

103

UNGUENTUM ICHTHYOL.

Ichthyol Ointment..

Ichthyol,	gr. xlv.
Albolene,	℥ss.
Lanoline, q. s. ad	℥j.

104

UNGUENTUM IODOFORMI.

Iodoform Ointment.

Iodoform,	gr. x.
Cosmoline,	℥j.

NOTE.—A 10% ointment is also in stock

105

UNGUENTUM MYDRIATICUM.

Mydriatic Ointment.

Atropine Sulphate,	gr. iiss.
Scopalamine Hydrochlorate,	gr. j.
Dionin,	gr. xxiv.
Albolene,	℥ss.
Lanoline, q. s. ad	℥j.

106

UNGUENTUM PLUMBI SUBACETATIS.

Ointment of Lead Subacetate.

Solution of Lead Subacetate,	℥iv.
Albolene,	
Lanoline,	āā ʒss.

107

UNGUENTUM PROTARGOL.

Protargol Ointment.

Protargol,	gr. vj.
Lanoline,	ʒij.
Cosmoline, q. s. ad. ʒj.

NOTE:—An ointment twice this strength is also in stock.

108

UNGUENTUM SUBLAMINAE.

Sublamine Ointment I: M.

Sublamine,	gr. ss.
Sodium Chloride,	gr. iss.
Albolene,	ʒss.
Lanoline, q. s. ad ʒj.

109

UNGUENTUM SUBLAMINAE.

Sublamine Ointment.

Sublamine,	gr. x.
Sodium Chloride,	gr. ij.
Albolene,	ʒss.
Lanoline, q. s. ad ʒj.

110

UNGUENTUM SULPHURIS.

Sulphur Ointment.

Washed Sulphur,	gr. xij.
Albolene,	
Lanoline,	āā ʒss.

111

UNGUENTUM THIOSINAMINAE.

Thiosinamine Ointment.

Thiosinamine,	℥ss. gr. xvij.
Albolene,	℥ss.
Lanoline, q. s. ad	℥j.

112

UNGUENTUM ZINCI OXIDI.

Ointment of Zinc Oxide.

Zinc Oxide, in very fine powder,	℥iss.
Benzoinated Lard,	℥vj.

113

VIOFORM GAUZE.

Absorbent Gauze (Dry)	yd j.
Vioform,	℥ij gr. xlv.
Glycerin,	℥iss.
Alcohol.	℥iiss.

GRACE I. HARPER,

Pharmacist.

GENERAL INDEX

	PAGE
ADRENALIN, 2,	8
ALUMNOL, 4,	8
ALUMNOL AND GLYCERIN, 5,	8
ALYPIN, 6,	4
ARECOLINE, 10,	4
ARGYROL, 11,	5
ARISTOL AND BENZOINOL, 12,	5
ARISTOL GAUZE, 13,	5
ARISTOL OIL, 67,	16
ATROPINE, 14,	5
BATTERY FLUID, 45,	11
BETA-EUCAINE, 15,	5
CALENDULOL, 17,	6
CAMPHOR WATER, 7,	4
CASTRA PERU, 71,	16
CHLORINE WATER, 8,	4
COCAINE, 18,	6
COMPOUND SOLUTION OF IODINE, 46,	11
COMPOUND SOLUTION OF IODINE, IMPROVED, 47,	12
COMPOUND SOLUTION OF SODIUM BORATE, 50,	12
COMPOUND THYMOL SOLUTION, 44,	11
CORROSIVE MERCURIC CHLORIDE, 34,	9
CREOLIN AND GLYCERIN, 23,	7
DIONIN, 24,	7
DOBELL'S SOLUTION, 50,	12
D. T. MIXTURE, 55,	13
DUBOISINE 25,	7
ELECTROZONE, 26,	7
ENZYMOL, 27,	7
ESERINE, 28,	8
ETHER AND COSMOLINE, 3,	2
EUCALYPTOL AND BENZOINOL, 29,	8
EUPHTHALMINE, 30,	8
FUCH'S EYE WASH, 31,	8

	PAGE
GRAPHO-COSMOLINE, 99,	21
HOLOCAINE, 82,	8
HOMATROPINE, 83,	9
HYDRASTININE BORO-GLYCERIN, 85,	9
HYDRASTIN MURIATE SOLUTION, 86,	9
HYOSCYAMINE, 37,	9
ICHTHARGAN, 38,	10
ICHTHYOL, 89,	10
ICHTHYOL AND ALBOLENE, 40,	10
IODINE WATER, 9,	4
IDO-COSMOLINE OIL, 68,	16
IODOFORM AND ALCOHOL, 41,	10
IODOFORM GAUZE, 42,	10
LINIMENT OF SOFT SOAP, 43,	10
LUGOL'S SOLUTION, 46,	11
LUGOL'S SOLUTION, (IMPROVED), 47,	12
LOCAL ANESTHETIC, 52,	13
LYTHOL, 53,	13
MENTHOL AND BENZOINOL, 54,	13
MYDRINE, 57,	14
NASAL SPRAY, No. 1, 58,	14
NASAL SPRAY, No. 2, 59,	14
NASAL SPRAY, No. 3, 60,	14
NASAL SPRAY, No. 4, 61,	14
NASAL SPRAY, No. 5, 62,	15
NASAL SPRAY, No. 6, 63,	15
NASAL SPRAY, No. 7, 64,	15
NASAL SPRAY, No. 8, 65,	15
NORMAL SALT SOLUTION, 66,	15
OINTMENT, ALPHOZONE, 90,	19
OINTMENT, CALENDULA, 91,	20
OINTMENT, CHRYSOPHANIC ACID, 92,	20
OINTMENT, COPPER ACETATE, 93,	20
OINTMENT, COPPER CITRATE, 94,	20
OINTMENT, COPPER SULPHATE, 95,	20
OINTMENT, DIONIN, 2%, 96,	21
OINTMENT, DIONIN, 5%, 97,	21

GENERAL INDEX.

27

PAGE

OINTMENT, DIONIN AND SCOPALAMINE, 98,	21
OINTMENT, GRAPHITUM, 99,	21
OINTMENT, YELLOW MERCURIC OXIDE, 99,	21
OINTMENT, MERCURIAL WITH ENDERMOL, 100,	21
OINTMENT, ICHTHARGAN, 101,	22
OINTMENT, ICHTHYOL, 102,	22
OINTMENT, IODOFORM, 103,	22
OINTMENT, MYDRIATIC, 104,	22
OINTMENT, LEAD SUBACETATE, 106,	23
OINTMENT, PROTARGOL, 107,	23
OINTMENT, SUBLAMINE, 108,	23
OINTMENT, SUBLAMINE, 109,	23
OINTMENT, SULPHUR, 110,	23
OINTMENT, THIO SINAMINE, 111,	24
OINTMENT, ZINC OXIDE, 112,	24
OXYCHLORINE, 69,	16
PHENOL AND BENZOINOL, 72	16
PHENOL AND GLYCERIN, 73,	17
PHENOL AND OLIVE OIL, 74,	17
PHENOLIZED CALENDULA, 16,	6
PILOCARPINE, 75,	17
PINE NEEDLE OIL AND BENZOINOL, 70,	16
PLANTAGO MIXTURE, 58,	14
PROTARGOL, 76,	17
SATURATED SOLUTION POTASSIUM IODIDE 77,	17
S. C. EYE WASH, 19,	6
SCOPALAMINE, 78,	17
SOLUTION B, 79,	18
SOLUTION B. A. W., 80,	18
SOLUTION FOR EAR, No. 1, 81,	18
SOLUTION FOR EAR, No. 2, 82,	18
SOLUTION 1492, 83,	18
SOLUTION 746, 84,	18
SOLUTION 1904, 85,	18
SOLUTION 1906, 86,	19
SOLUTION OF IODINE AND COSMOLINE, 48	12
SOLUTION OF MAGNESIUM CITRATE, 49	12

	PAGE
SPRAY FOR ACUTE PHARYNGITIS, 87, . . .	19
S. S. EYE WASH, 20, . . .	6
SYRUP, 89, . . .	19
SYRUP OF CITRIC ACID, 89, . . .	19
TANNIC ACID AND GLYCERIN, 1. . .	3
TINCTURE GREEN SOAP, 48, . . .	10
VERBASCUM SOLUTION, 51, . . .	13
VIOFORM GAUZE, 113, . . .	24
Z. S. EYE WASH, 21, . . .	6
Z. S AND C. EYE WASH, 22, . . .	7

FORMULARY.

R

No.

R

No.

R

FORMULARY.

R

No.

R

No.

R

FORMULARY.

R

No.

R

No.

R

R

No.

R

No.

R

FORMULARY.

R

No

R

No.

R

FORMULARY.

R

No.

R

No.

R

FORMULARY.

R

No.

R

No.

R

FORMULARY.

R

No.

R

No.

R

FORMULARY.

R

No.

R

No.

R

FORMULARY.

R

No

R

No.

R

FORMULARY.

R

No

R

No.

R

FORMULARY.

R

No.

R

No.

R



LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on
or before the date last stamped below.

--	--	--

V125 New York ophthalmic
N54 hospital.
1906 Hospital formulary.

NAME

65719

DATE DUE

